

Note: The following information is provided by the author(s) and has not been reviewed by GeneReviews staff.

Table 3. SPG11 Pathologic Allelic Variants¹

| Exons or introns | DNA Nucleotide Change | Protein Amino Acid Change or effect on mRNA (when known) ² | Key References |
|------------------|-----------------------|---|---|
| 1 | c.118C>T | p.Q40X | Stevanin, Santorelli et al 2007; Stevanin Azzedine et al 2008 |
| 2 | c.267G>A | p.W89X | Hehr et al 2007 |
| Intron2 | c.442+1G>C | r.? | Hehr et al 2007 |
| 3 | c.529_533delATATT | p.I177_F178>S177fsX178 | Stevanin, Santorelli et al 2007 |
| 4 | c.704_705delAT | p.H235RfsX246 | Stevanin, Azzedine et al 2008 |
| 4 | c.733_734delAT | p.M245VfsX246 | DelBo et al 2007; Hehr et al 2007; Stevanin, Santorelli et al 2007; Stevanin, Azzedine et al 2008 |
| Intron4 | c.869+1G>A | r.? | Stevanin, Azzedine et al 2008 |
| 6 | c.1203delA, | p.K401KfsX415 | Stevanin, Santorelli et al 2007 |
| 6 | c.1235C>G | p.S412X | Stevanin, Azzedine et al 2008 |
| 6 | c.1282A>T | p.K428X | Stevanin, Azzedine et al 2008 |
| Intron6 | c.1757-2A>G | Skipping of exon 7 | Hehr et al 2007 |
| 7 | c.1471_1472delCT | p.L491DfsX556 | Stevanin, Azzedine et al 2008 |
| 7 | c.1549_1550delCT | p.L517LfsX556 | Stevanin, Azzedine et al 2008 |
| 8 | c.1668delT, | p.F556LfsX577 | Stevanin, Azzedine et al 2008 |
| 9 | c.1845_1846delGT | p.S616fs618X | Hehr et al 2007 |
| 10 | c.1951C>T | p.R651X | Stevanin, Azzedine et al 2008; Hehr et al 2007 |
| 11 | c.2198T>G | p.L733X | Stevanin, Santorelli et al 2007 |
| Intron 12 | c.2316+1G>A | r.? | Stevanin, Azzedine et al 2008 |
| 14 | c.2472insT | p.K825fs837X | Hehr et al 2007 |
| 15 | c.2833A>G | r.2834+1_2834+65ins, p.R945GfsX5 | Stevanin, Azzedine et al 2008 |
| 16 | c.2842_2843insG | p.V948GfsX953 | Stevanin, Santorelli et al 2007 |
| 17 | c.3076insA | p.R1026fs1029X | Hehr et al 2007 |
| 17 | c.3145_3146insCA | p.T1048fs1053X | Hehr et al 2007 |
| 25 | c.4307_4308delAA | p.Q1436RfsX1442 | Stevanin, Azzedine et al 2008 |
| 30 | c.5255delT | p.F1752fs1765X | Hehr et al 2007 |
| 30 | c.5532_5533delCA | p.S1844SfsX1857 | Stevanin, Azzedine et al 2008 |
| 30 | c.5769delT | p.S1923RfsX1950 | Stevanin, Azzedine et al 2008 |
| 30 | c.5798delC | p.A1933fs1951X | Hehr et al 2007 |
| 31 | c.5974C>T | p.R1992X | Stevanin, Santorelli et al 2007 |
| 31 | c.5986_5987insT | p.C1996LfsX1999 | Stevanin, Azzedine et al 2008 |

| Exons or introns | DNA Nucleotide Change | Protein Amino Acid Change or effect on mRNA (when known) ² | Key References |
|------------------|-----------------------|---|--|
| 31 | c.5989_5992delCTGT | p.L1997_Y1998>M1997fsX 2056 | Stevanin, Azzedine et al 2008 |
| 32 | c.6100C>T | p.R2034X | Stevanin, Santorelli et al 2007; Stevanin, Azzedine et al 2008 |
| 34 | c.6451delG | p. A2151PfsX2172 | Stevanin, Santorelli et al 2007 |
| Intron 34 | c.6477+4 A>G | r.? | Stevanin, Azzedine et al 2008 |
| 36 | c.6737_6740delTTGA | p.I2246_E2247>S2246fsX2 260 | Stevanin, Azzedine et al 2008 |
| 36 | c.6739_6742delGAGT | p.E2247_S2248>L2247fsX 2260 | Stevanin, Azzedine et al 2008 |
| 37 | c.6832_6833delAG | p.S2278LfsX2338 | Stevanin, Azzedine et al 2008 |
| 39 | c.7029_7030insT | p.V2344CfsX2349 | Stevanin, Santorelli et al 2007 |

1. SPG11 Reference sequences: NM_025137.3 and NP_079413.3

2. A designation of "r.?" indicates that the RNA has not been analyzed and an effect is expected but difficult to predict. (www.hgvs.org)

References

DelBo R, DiFonzo A, Ghezzi S, Locatelli F, Stevanin G, Costa A, Corti S, Bresolin N, Comi GP (2007) SPG11: a consistent clinical phenotype in a family with homozygous Spatacsin truncating mutations. *Neurogenetics* 8:301-5

Hehr U, Bauer P, Winner B, Schule R, Olmez A, Koehler W, Uyanik G, Engel A, Lenz D, Seibel A, Hehr A, Ploetz S, Gamez J, Rolfs A, Weis J, Ringer TM, Bonin M, Schuierer G, Marienhagen J, Bogdahn U, Weber BH, Topaloglu H, Schols L, Riess O, Winkler J (2007) Long-term course and mutational spectrum of spatacsin-linked spastic paraplegia. *Ann Neurol* 62:656-65

Stevanin G, Azzedine H, Denora P, Boukhris A, Tazir M, Lossos A, Rosa AL, Lerer I, Hamri A, Alegria P, Loureiro J, Tada M, Hannequin D, Anheim M, Goizet C, Gonzalez-Martinez V, Le Ber I, Forlani S, Iwabuchi K, Meiner V, Uyanik G, Erichsen AK, Feki I, Pasquier F, Belarbi S, Cruz VT, Depienne C, Truchetto J, Garrigues G, Tallaksen C, Tranchant C, Nishizawa M, Vale J, Coutinho P, Santorelli FM, Mhiri C, Brice A, Durr A (2008) Mutations in SPG11 are frequent in autosomal recessive spastic paraplegia with thin corpus callosum, cognitive decline and lower motor neuron degeneration. *Brain* 131:772-84

Stevanin G, Santorelli FM, Azzedine H, Coutinho P, Chomilier J, Denora PS, Martin E, Ouvrard-Hernandez AM, Tessa A, Bouslam N, Lossos A, Charles P, Loureiro JL, Elleuch N, Confavreux C, Cruz VT, Ruberg M, Leguern E, Grid D, Tazir M, Fontaine B, Filli A, Bertini E, Durr A, Brice A (2007) Mutations in SPG11, encoding spatacsin, are a major cause of spastic paraplegia with thin corpus callosum. *Nat Genet* 39:366-72